

CORRECTION

Open Access



Correction to: Late Holocene uplift of the Izu Islands on the northern Zenisu Ridge off Central Japan

Akihisa Kitamura^{1,2*}, Takafumi Imai¹, Yuta Mitsui^{1,2}, Mami Ito¹, Yosuke Miyairi³, Yusuke Yokoyama³ and Yuki Tokuda⁴

Correction

In the publication of this article (Kitamura et al., 2017), there was an error in Fig. 11. It should not have indicated figures 'Specimen of an emerged barnacle,' 'Study area' and their captions and the caption of the Fig. 11 itself was indicated twice. The erroneous figure incorrectly indicated all of the earlier mentioned errors.

The correct Fig. 11 is shown in this erratum.

This has now been updated in the original article (Kitamura et al., 2017).

Author details

¹Institute of Geosciences, Shizuoka University, 836 Oya, Suruga-ku, Shizuoka 422-8529, Japan. ²Center for Integrated Research and Education of Natural Hazards, Shizuoka University, 836 Oya, Suruga-ku, Shizuoka 422-8529, Japan. ³Atmosphere and Ocean Research Institute, University of Tokyo, Chiba 277-8564, Japan. ⁴Tottori University of Environmental Studies, 1-1 Wakabadai-kita, Tottori 689-1111, Japan.

Received: 6 November 2017 Accepted: 6 November 2017

Published online: 30 November 2017

Reference


Kitamura A, Imai T, Mitsui Y, Ito M, Miyairi Y, Yokoyama Y, Tokuda Y (2017) Late Holocene uplift of the Izu Islands on the northern Zenisu ridge off Central Japan. *Prog Earth Planetary Sci* 4:30. doi: 10.1186/s40645-017-0146-5

* Correspondence: kitamura.akhisa@shizuoka.ac.jp

¹Institute of Geosciences, Shizuoka University, 836 Oya, Suruga-ku, Shizuoka 422-8529, Japan

²Center for Integrated Research and Education of Natural Hazards, Shizuoka University, 836 Oya, Suruga-ku, Shizuoka 422-8529, Japan

Incorrect figure 11 as was published on the 18th of October 2017



Correct figure 11




Fig. 11 Elevations and ages of emerged sessile assemblages at the study sites